

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	715	706/20.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 21:55
L2	455831	classif\$5 or hierarch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 22:00
L3	7123040	quer\$3 retriev\$3 request\$4 determin\$4 formulat\$4 identif\$4 locat\$3 search\$3 fetch inquire enquire	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 22:03
L4	7411773	set subset subdivi\$5 partit\$5 subsection descriptor categor\$4 subtype criterion criteria propert\$3 attribute feature cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 22:04
L5	149615	(boolean adj expression) (logical adj expression) LE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 22:05
L6	59273	(set near objects) (set adj theory) (set near operations)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 22:06
L7	0	5 near 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 22:06
L8	1568	5 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 22:06
L9	23	2 near 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 22:08

EAST Search History

L10	15922	2 near 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 22:08
L11	692	10 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 22:09
L12	86	11 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 22:20
L13	12	("5295256" "5765159" "5864843" "5873093" "6122641" "6360223" "6442566" "6484180" "6647391" "6684222" "6704744" "6754670").PN. OR ("7162469").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/03 22:17
L14	0	("2006/0235900").URPN.	USPAT	OR	OFF	2007/05/03 22:19
L15	0	(boolean adj expression) and (false adj positive) and (false adj negative) and (set near objects) and (feature propert\$4 attribute criteria criterion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 22:22
L16	1	(boolean adj expression) and ((false adj positive) (false adj negative)) and (set near objects) and (feature propert\$4 attribute criteria criterion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 22:23
L17	289	(boolean adj expression) and optimization and error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 22:25
L18	1	17 and (false adj positive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 22:23
L19	10	(boolean adj expression) near optimiz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 22:36

EAST Search History

L20	2	"6629095".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 22:40
L21	2	"6665664".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 22:41
L22	5	("5619692" "6381616").PN. OR ("6665664").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/03 22:53
L23	0	classif\$4 near (boolean adj expression)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/03 22:46
L24	44	classif\$4 same (boolean adj expression)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/03 22:51
L25	15210	(false adj positive) (false adj negative)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/03 22:51
L26	4419	(false adj positive) and (false adj negative)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/03 22:51
L27	5	26 and (boolean adj expression)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/03 23:06
L28	0	redescription adj mining	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/03 22:55
L29	82180	(set adj theory) (set adj operations) (set near objects) (set adj theoretic adj expression) (set near element)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/03 22:59
L30	2	((set adj theory) (set adj operations) (set near objects) (set adj theoretic adj expression) (set near element)) near optimization	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/03 22:57
L31	225	((set adj theory) (set adj operations) (set near objects) (set adj theoretic adj expression) (set near element)) same optimization	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/03 22:57
L32	0	((set adj theory) (set adj operations) (set near objects) (set adj theoretic adj expression) (set near element)) same optimization same (boolean adj expression)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/03 22:57

EAST Search History

L33	1	((set adj theory) (set adj operations) (set near objects) (set adj theoretic adj expression) (set near element)) same optimization and (boolean adj expression)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/03 22:57
L34	9	((set adj theory) (set adj operations) (set near objects) (set adj theoretic adj expression) (set near element)) near descriptor	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/03 23:00
L35	148	((set adj theory) (set adj operations) (set near objects) (set adj theoretic adj expression) (set near element)) same descriptor	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/03 23:01
L36	163	((set adj theory) (set adj operations) (set near objects) (set adj theoretic adj expression)) same optimization	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/03 23:04
L37	133	((set adj operations) (set near objects) (set adj theoretic adj expression)) same optimization	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/03 23:04
L38	0	mining near (boolean adj expression)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/03 23:06
L39	4	mining same (boolean adj expression)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/03 23:06
L40	28	("5418948" "5644686" "5724573" "5727199" "5742811" "5794209" "5819266").PN. OR ("6061682").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/03 23:08
L41	3	optimized near (boolean adj expression)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/03 23:10
L42	2140	707/6.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/03 23:12
L43	27	42 and (boolean adj expression)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/03 23:12
L44	626	42 and classif\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/03 23:12
L45	16	42 and classif\$4 and (boolean adj expression)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/03 23:13



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#) Results 1 - 10 of about 18 for **+"boolean expression" +"false positive"**

All Results

[B Billoud](#)

[M Kontic](#)

[A Viari](#)

[O Journals](#)

[M Tech](#)

[Palingol: a declarative programming language to describe nucleic acids' secondary structures and to ... - group of 10 »](#)

B Billoud, M Kontic, A Viari, O Journals - Nucleic Acids Research - Oxford Univ Press
 ... an important consequence to the **optimization** of Palingol ... value of the before **boolean expression** is meaningful ... Total True positive **False positive False negative** ...
[Cited by 53](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Efficient query evaluation using a two-level retrieval process - group of 2 »](#)

AZ Broder, D Carmel, M Herscovici, A Soffer, J ... - Proceedings of the twelfth international conference on ..., 2003 - portal.acm.org
 ... model in which documents must exactly match the **Boolean expression**. ... a given collection
 to balance between **false positive** errors and **false negative** errors ...
[Cited by 17](#) - [Related Articles](#) - [Web Search](#)

[YACOP: Enhanced Gene Prediction Obtained by a Combination of Existing Methods - group of 5 »](#)

M Tech - In Silico Biology, 2003 - IOS Press
 ... ratio of **false positive** and **false negative** assignments ... reduced the number of **false positive** predictions ... and the adaptation of the **Boolean expression** necessary to ...
[Cited by 28](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[BOOK] [Efficient Modeling of Memory Arrays in Symbolic Ternary Simulation - group of 8 »](#)

MN Velez, R Bryant - 1998 - Springer
 ... approxi- mation means that **false positive** verification results ... to occur, although **false negative** verification results ... each of which is a **Boolean expression**. ...
[Cited by 13](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#) - [BL Direct](#)

[Specification, synthesis, and verification of hazard-free asynchronous circuits - group of 3 »](#)

CW Moon, PR Stephan, RK Brayton - The Journal of VLSI Signal Processing, 1994 - Springer
 ... may be sub-optimal because the scope of the post **optimization** step is ... restricted to an SR latch; any latch which matches the given **Boolean expression** can be ...
[Cited by 20](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#) - [BL Direct](#)

[Improved Image Analysis for Evaluating Concrete Damage - group of 4 »](#)

TC Hutchinson, M ASCE, ZQ Chen - Journal of Computing in Civil Engineering, 2006 - link.aip.org
 ... the loss function values for **false positive** detection and **false negative** detection. ...
 A **Boolean expression** for is described asSubsequently, each may be ...
[Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Experimental Analysis of Sequential Decision Making Algorithms for Port of Entry Inspection ... - group of 2 »](#)

S Anand, D Madigan, R Mammone, S Pathak, F Roberts - dimacs.rutgers.edu

... them and probabilities of **false positive** and **false ...** incurred due to a **false negative** interpreted as ... 37 corresponds to the **Boolean expression** 00011111, which ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Software watermarking via opaque predicates: Implementation, analysis, and attacks - group of 7 »](#)

G Myles, C Collberg - Electronic Commerce Research, 2006 - Springer

... if it recovers a watermark which was not embedded in the application (a **false positive**) or not recovering a watermark that was embedded (a **false negative**). ...

[Cited by 6](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Verification Approach of Metropolis Design Framework for Embedded Systems - group of 3 »](#)

X Chen, H Hsieh, F Balarin - International Journal of Parallel Programming, 2006 - Springer

... is either exact or conservative (with possibly **false negative** result ... There will never be a **false positive** result ... where the guard is a **Boolean expression**, and the ...

[Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Verification of pipelined microprocessors by correspondencechecking in symbolic ternary simulation - group of 7 »](#)

MN Velev, RE Bryant - Application of Concurrency to System Design, 1998. ..., 1998 - ieeexplore.ieee.org

... approximation means that **false positive** verification results ... not to occur, although **false negative** verification results ... each of which is a **Boolean expression**. ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)

Google ►

Result Page: 1 2 [Next](#)

+"boolean expression" +"false positi

[Search](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

+"mining" +"redescription".

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar [All articles](#) [Recent articles](#) Results **1 - 10** of about **601** for **+"mining" +"redescription"**. (0.04 seco
All Results[N Ramakrishnan](#)[R Rajapaksa](#)[C Fernando](#)[D Kumar](#)[M Potts](#)**Reasoning about sets using **redescription mining** - group of 8 »**

MJ Zaki, N Ramakrishnan - Conference on Knowledge Discovery in Data, 2005 - portal.acm.org

Page 1. Reasoning about Sets using **Redescription Mining** ... Y Figure 1: An example inputto **redescription mining**. To see how, consider the four sets shown in Fig. ...[Cited by 5](#) - [Related Articles](#) - [Web Search](#)**Turning CARTwheels: an alternating algorithm for **mining** redescriptions - group of 11 »**N Ramakrishnan, D Kumar, B Mishra, M Potts, RF ... - ... conference on Knowledge discovery and data **mining**, 2004 - portal.acm.org... This approach finds application in a new data **mining** task we formulate, called **redescription mining**. A **redescription** is a shift-of ...[Cited by 11](#) - [Related Articles](#) - [Web Search](#)**Representational **Redescription** within Knowledge Intensive Data-Mining - group of 2 »**

J Cupit, NR Shadbolt - 1994 - eprints.resist.ecs.soton.ac.uk

... research. Representational **Redescription** within Knowledge Intensive Data-Mining. Cupit, J. and Shadbolt, NR (1994) Representational ...[Cited by 3](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)**Redescription Mining: Structure Theory and Algorithms - group of 2 »**

L Parida, N Ramakrishnan - Proc. AAAI, 2005 - people.cs.vt.edu

Page 1. **Redescription Mining**: Structure Theory and Algorithms ... The input to **redescription mining** is a collection of sets such as shown in Fig. ...[Cited by 2](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)**Interpreter of maladies: **redescription mining** applied to biomedical data analysis - group of 4 »**

P Waltman, A Pearlman, B Mishra - Pharmacogenomics, 2006 - Future Medicine

... 7, No. 3, Pages 503-509. (doi:10.2217/14622416.7.3.503). Interpreter of maladies: **redescription mining** applied to biomedical data analysis. ...[Related Articles](#) - [Web Search](#)**[CITATION] The identity of the **mining** bee Andrena asiatica FRIESE, 1921, with a **redescription** (Hymenoptera: ...**

J Schuberth, W Grunwaldt, K Schonitzer - BEITRAGE ZUR ENTOMOLOGIE-BERLIN-, 2001 - AKADEMIE VERLAG

[Web Search](#) - [BL Direct](#)**Turning CARTwheels: An Alternating Algorithm for **Mining** Redescriptions - group of 3 »**

D Kumar, N Ramakrishnan, M Potts, RF Helm - Arxiv preprint cs.CE/0311048, 2003 - arxiv.org

... 2 **Redescription Mining** as Alternating Tree Induction ... **Mining** a **redescription** with

Jaccard's coefficient of 1 means that we have identified a random variable D ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Capturing Truthiness: Mining Truth Tables in Binary Datasets

CC Owens, TM Murali, N Ramakrishnan - eprints.cs.vt.edu

... efficiency. Section 5 presents relationships to **redescription mining** and outlines the context in which it is dual to truth table **mining**. ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Fusion: interactive coordination of diverse data, visualizations, and mining algorithms - group of 3 »

C North, N Conklin, K Indukuri, V Saini, Q Yu - Conference on Human Factors in Computing Systems, 2003 - portal.acm.org

... **Mining** algorithms, such as ILP **Redescription** [3], can dynamically compute additional interesting inference rules based on the data, that users can then ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#)

Transcriptional Response of Saccharomyces cerevisiae to Desiccation and Rehydration† - group of 7 »

J.Singh, D Kumar, N Ramakrishnan, V Singhal, J ... - Applied and Environmental Microbiology, 2005 - Am Soc Microbiol

... Application of a "**redescription mining**" algorithm suggested that sulfur metabolism is important for cell survival during desiccation and rehydration. ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Google ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

+"mining" +"redescription"

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google